



# UF TYPE CORES & ET, FT TYPE CORES



UF TYPE CORES (MATERIALS): H10K, H7K, H4K, P1, P2, P3  
 Dimensions & Effective parameter

CORES TYPE	Dimensions (mm)						Effective parameter					
	A	B	C	D	E	F	C <sub>l</sub> (mm <sup>-1</sup> )	A <sub>e</sub> (MM <sup>2</sup> )	Le (mm)	Ve (mm <sup>3</sup> )	A <sub>l</sub> ± 25% (nH/N <sup>2</sup> )	Weight (g)
UF9.8	9.8±0.2	14.2±0.2	2.7±0.2	4.2±0.2	2.8±0.1	8.4±0.3	4.46	7.66	34.2	261.5	1000 (H7K)	1.3
UF10.3	10.35max	15.0±0.3	2.93±0.12	4.05min	2.95±0.1	8.6±0.7	4.13	8.63	35.7	308	920 (H6K)	1.5
UF10.5	10.5±0.3	15.6±0.4	5.3±0.15	5.5±0.3	2.5±0.1	10.6±0.3	3.02	13.3	40.0	530.7	1200 (H6K)	2.5
UF15	15.2±0.7	23.4±0.2	6.7±0.5	5.2±0.35	5.2±0.2	11.4±1.4	1.55	32.6	50.5	1647	3000 (H6K)	8.0
UF15.7	15.7±0.2	19.6±0.3	5.9±0.15	6.7±0.2	4.5±0.2	12.1±0.2	2.05	24.5	50.3	1232	2600 (H6K)	6.7
UF16	16.0±0.2	20.0±0.4	6.0±0.15	7.0±0.3	4.5±0.2	12.0±0.2	1.97	25.9	51.0	1321	3300 (H6K)	6.9
UF18	18.4±0.5	26.1±0.4	6.2±0.15	6.0±0.4	6.2±0.4	13.5±0.6	1.55	38.4	59.4	2284	4400 (H6K)	11.8
UF19	19.0±0.7	26.0±1.0	6.0±0.15	8.5±0.5	4.5±0.2	19.4±0.7	2.64	25.0	66.0	1652	1870 (H5K)	8.5
UF21	20.7±0.8	31.2±0.6	7.45±0.20	6.3±0.3	7.25±0.2	16.6±0.4	1.27	54.0	68.6	3700	4380 (H5K)	18.0

ET, FT TYPE CORES (MATERIALS): H10K, H8K, H6K  
 Dimensions & Effective parameter



CORES TYPE	Dimensions (mm)						Effective parameter				
	A	B (min)	C (min)	D	E	F	C <sub>l</sub> (mm <sup>-1</sup> )	A <sub>e</sub> (mm <sup>2</sup> )	Le (mm)	Ve (mm <sup>3</sup> )	Weight (g)
ET20	20.30±0.5	15.8	15.8	20.30±0.5	4.0±0.3	4.40±0.3	29.6	17.6	52.1	917	4.5
ET24	24.20±0.5	18.9	18.8	24.20±0.5	4.0±0.3	4.0±0.3	3.31	18.0	60.0	1098	5.3
ET25	25.50±0.5	19.2	19.2	25.50±0.5	5.0±0.3	5.0±0.3	2.3	27.6	62.3	1721	8.5
ET28	28.45±0.7	21.8	22.2	28.45±0.7	5.0±0.3	5.0±0.3	2.54	27.0	70.0	1972	10.1
ET35	35.30±0.7	26.8	26.5	35.30±0.7	7.5±0.3	7.5±0.3	1.46	58.3	85.2	4970	26.0
FT20	20.6±0.6	15.7min	7.35min	14.1±0.25	4.1±0.2	4.6±0.20	4.11	13.0	53.0	688	3.8
FT25	25.6±0.4	19.3min	8.1min	17.6±0.3	3.4±0.15	5.2±0.25	3.77	18.0	68.0	1203	6.5
FT30	30.0±0.4	22.4min	8.9min	19.8±0.3	4.2±0.15	6.4±0.25	2.85	27.0	77.0	2068	10.9